

FLUOROPOLYMER RODS

RODS

RODS

| Ø (mm) | Weight (kg/m or pc) | Tolerance (% & mm) | Length (mm) | Virgin PTFE | | Virgin PTFE PG | | PTFE GF25 | | PTFE CA25 | | PVDF | | Ext PCTFE | | Mid PCTFE | | PFA | | |
|--------|---------------------|--------------------|-------------|-------------|------|----------------|---|-----------|---|-----------|---|------|---|-----------|---|-----------|---|-----|---|--|
| | | | | S | L | S | L | S | L | S | L | S | L | S | L | S | L | S | L | |
| 3 | 0.019 | +0.0% | +6.0% | | | 2000 | | ● | | | | | | | | | | | | |
| 4 | 0.030 | +0.0% | +6.0% | | | 2000 | ● | | | | | | | | | | | | | |
| 4 | 0.040 | +0.80 | +3.0 | 1000 | | | | | | | | | | | | ● | | | | |
| 5 | 0.048 | +0.0% | +6.0% | | | 2000 | ● | | | | | | | | | | | | | |
| 5 | 0.050 | +0.80 | +3.0 | 1000 | | | | | | | | | | | | ● | | | | |
| 6 | 0.067 | +0.0% | +6.0% | | | 2000 | ● | | | | | | | | | | | | | |
| 6 | 0.067 | -0.05 | +0.0 | | | 3000 | | ● | | | | | | | | | | | | |
| 6 | 0.080 | +0.80 | +3.0 | 1000 | | | | | | | | | | | | ● | | | | |
| 8 | 0.140 | +0.0% | +6.0% | | | 2000 | ● | | | | | | | | | | | | | |
| 8 | 1.140 | -0.05 | +0.0 | | | 3000 | | ● | | | | | | | | | | | | |
| 8 | 0.130 | +0.80 | +3.0 | 1000 | | | | | | | | | | | | ● | | | | |
| 8 | 0.115 | +0.80 | +3.0 | 1000 | | | | | | | | | | | | | | | ● | |
| 10 | 0.180 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | ● | | ● | | | | | | |
| 10 | 0.180 | -0.05 | +0.0 | | | 3000 | | ● | | | | | | | | | | | | |
| 10 | 0.180 | +0.80 | +3.0 | 1000 | 2000 | 3000 | | | | | | | | ● | | | | | | |
| 10 | 0.180 | +0.80 | +3.0 | 1000 | | | | | | | | | | | ● | | | | | |
| 10 | 0.180 | +0.80 | +3.0 | 1000 | | | | | | | | | | | | | | | ● | |
| 12 | 0.270 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 12 | 0.270 | -0.05 | +0.0 | | | 3000 | | ● | | | | | | | | | | | | |
| 12 | 0.260 | +0.80 | +3.0 | 1000 | 2000 | 3000 | | | | | | | | ● | | | | | | |
| 12 | 0.260 | +0.80 | +3.0 | 1000 | | | | | | | | | | | ● | | | | | |
| 12 | 0.253 | +0.80 | +3.0 | 1000 | | | | | | | | | | | | | | | ● | |
| 13 | 0.300 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 13 | 0.300 | -0.05 | +0.0 | | | 3000 | | ● | | | | | | | | | | | | |
| 13 | 0.310 | +0.80 | +3.0 | 1000 | | | | | | | | | | | | ● | | | | |
| 13 | 0.310 | +0.80 | +3.0 | 1000 | | | | | | | | | | | | | | | ● | |
| 14 | 0.370 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 15 | 0.420 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | ● | | ● | | | | | | |
| 15 | 0.410 | +0.80 | +3.0 | 1000 | 2000 | 3000 | | | | | | | | | ● | | | | | |
| 15 | 0.410 | +0.80 | +3.0 | 1000 | | | | | | | | | | | ● | | | | | |
| 15 | 0.405 | +0.80 | +3.0 | 1000 | | | | | | | | | | | | | | | ● | |
| 16 | 0.462 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 16 | 0.462 | -0.05 | +0.0 | | | 3000 | | ● | | | | | | | | | | | | |
| 16 | 0.460 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | ● | | | | |
| 16 | 0.460 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | | | | ● | |
| 18 | 0.600 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 18 | 0.600 | -0.05 | +0.0 | | | 3000 | | ● | | | | | | | | | | | | |
| 18 | 0.590 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | ● | | | | |
| 18 | 0.580 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | | | | ● | |
| 20 | 0.740 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | ● | | ● | | | | | | |
| 20 | 0.740 | -0.05 | +0.0 | | | 3000 | | ● | | | | | | | | | | | | |
| 20 | 0.596 | +0.20 | +0.80 | 1000 | 2000 | 3000 | | | | | | | ● | | | | | | | |
| 20 | 0.710 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | ● | | | | |
| 20 | 0.700 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | | | | ● | |
| 22 | 0.900 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 22 | 0.870 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | | | | | |

S: Stocked Item L: Subject to a leadtime or MOQ

FLUOROPOLYMER RODS CONTINUED

RODS

RODS

| Ø (mm) | Weight (kg/m or pc) | Tolerance (% & mm) | Length (mm) | Virgin PTFE | | Virgin PTFE PG | | PTFE GF25 | | PTFE CA25 | | PVDF | | Ext PCTFE | | Mid PCTFE | | PFA | |
|-----------|------------------------|-----------------------|----------------|-------------|------|----------------|---|-----------|---|-----------|---|---------|---|----------------|---|----------------|---|---------------|---|
| | | | | ● White | | ● White | | ● White | | ● Black | | ● White | | ● White/Yellow | | ● White/Yellow | | ● Transparent | |
| S | L | S | L | S | L | S | L | S | L | S | L | S | L | S | L | S | L | S | L |
| 22 | 0.880 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | | | | ● |
| 25 | 1.150 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | ● | | ● | | | | ● | | | |
| 25 | 1.150 | -0.05 | +0.0 | | | 3000 | | ● | | | | | | | | | | | |
| 25 | 0.930 | +0.20 | +1.00 | 1000 | 2000 | 3000 | | | | | ● | | | | | ● | | | |
| 25 | 1.110 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | ● | | | |
| 25 | 1.100 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | | | | ● |
| 28 | 1.410 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | |
| 28 | 1.400 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | ● | | | ● |
| 30 | 1.650 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | ● | | ● | | | | | | | |
| 30 | 1.600 | -0.05 | +0.0 | | | 3000 | | ● | | | | | | | | | | | |
| 30 | 1.329 | +0.20 | +1.00 | 1000 | 2000 | 3000 | | | | | | ● | | | | | | | |
| 30 | 1.600 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | ● | | | |
| 30 | 0.245 | +1.0 | +3.0 | 150 | | | | | | | | | | | | | | ● | |
| 30 | 1.600 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | | | | ● |
| 32 | 1.880 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | |
| 32 | 1.830 | -0.05 | +0.0 | | | 3000 | | ● | | | | | | | | | | | |
| 32 | 1.830 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | | | | |
| 32 | 0.279 | +1.0 | +3.0 | 150 | | | | | | | | | | | | | ● | | |
| 35 | 2.300 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | ● | | ● | | | | | | | |
| 35 | 1.827 | +0.20 | +1.20 | 1000 | 2000 | 3000 | | | | | | | ● | | | | | | |
| 35 | 2.190 | +1.0 | +3.0 | 1000 | | | | | | | | | | | ● | | | | |
| 35 | 0.335 | +1.0 | +3.0 | 150 | | | | | | | | | | | | ● | | | |
| 35 | 2.200 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | | | | ● |
| 38 | 2.670 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | |
| 38 | 2.580 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | ● | | | |
| 38 | 0.393 | +1.0 | +3.0 | 150 | | | | | | | | | | | | | ● | | |
| 40 | 2.900 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | ● | | ● | | | | | | | |
| 40 | 2.351 | +0.20 | +1.20 | 1000 | 2000 | 3000 | | | | | | | ● | | | | | | |
| 40 | 2.860 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | ● | | | |
| 40 | 0.440 | +1.0 | +3.0 | 150 | | | | | | | | | | | | | ● | | |
| 40 | 2.870 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | | | | ● |
| 45 | 3.690 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | ● | | ● | | | | | | | |
| 45 | 2.994 | +0.30 | +1.30 | 1000 | 2000 | 3000 | | | | | | | ● | | | | | | |
| 45 | 3.630 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | ● | | | |
| 45 | 0.552 | +1.0 | +3.0 | 150 | | | | | | | | | | | | | | ● | |
| 45 | 3.630 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | | | | ● |
| 50 | 4.650 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | ● | | ● | | | | | | | |
| 50 | 3.662 | +0.30 | +1.30 | 1000 | 2000 | 3000 | | | | | | | ● | | | | | | |
| 50 | 4.480 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | ● | | | |
| 50 | 0.680 | +1.0 | +3.0 | 150 | | | | | | | | | | | | | ● | | |
| 50 | 4.490 | +1.0 | +3.0 | 1000 | | | | | | | | | | | | | | | ● |
| 55 | 5.500 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | ● | | | | | | | |
| 55 | 0.720 | +1.0 | +3.0 | 150 | | | | | | | | | | | | | | ● | |
| 60 | 6.500 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | ● | | | | | | | |
| 60 | 5.271 | +0.30 | +1.60 | 1000 | 2000 | 3000 | | | | | | ● | | | | | | | |
| 60 | 0.660 | +1.0 | +3.0 | 150 | | | | | | | | | | | | | | ● | |

S: Stocked Item L: Subject to a leadtime or MOQ

FLUOROPOLYMER RODS CONTINUED

RODS

RODS

| Ø (mm) | Weight (kg/m or pc) | Tolerance (% & mm) | Length (mm) | | Virgin PTFE | | Virgin PTFE PG | | PTFE GF25 | | PTFE CA25 | | PVDF | | Ext PCTFE | | Mid PCTFE | | PFA | |
|--------|---------------------|--------------------|-------------|------|-------------|---------|----------------|---------|-----------|----------------|----------------|---------------|------|---|-----------|---|-----------|---|-----|---|
| | | | S | L | ● White | ● White | ● White | ● Black | ● White | ● White/Yellow | ● White/Yellow | ● Transparent | S | L | S | L | S | L | S | L |
| 65 | 7.630 | +1.2 | +5.5 | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 65 | 0.550 | +1.0 | +3.0 | 150 | | | | | | | | | | | | | | ● | | |
| 70 | 8.800 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | ● | | | | | | | | | | |
| 70 | 7.143 | +0.30 | +1.60 | 1000 | 2000 | 3000 | | | | | | | | | | ● | | | | |
| 70 | 0.457 | +1.0 | +3.0 | 150 | | | | | | | | | | | | | | ● | | |
| 75 | 10.200 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 80 | 11.000 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 80 | 9.356 | +0.40 | +2.00 | 1000 | 2000 | 3000 | | | | | | | | ● | | | | | | |
| 90 | 15.000 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | ● | | | | | | |
| 90 | 11.896 | +0.50 | +2.20 | 1000 | 2000 | 3000 | | | | | | | | | ● | | | | | |
| 100 | 18.000 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 100 | 14.633 | +0.60 | +2.50 | 1000 | 2000 | 3000 | | | | | | | | | ● | | | | | |
| 110 | 22.100 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 110 | 17.864 | +0.70 | +3.00 | 1000 | 2000 | 3000 | | | | | | | | | | ● | | | | |
| 120 | 25.650 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 125 | 22.939 | +0.80 | +3.50 | 1000 | 2000 | 3000 | | | | | | | | | | ● | | | | |
| 130 | 31.000 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 140 | 37.000 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 140 | 28.928 | +0.90 | +3.80 | 1000 | | 3000 | | | | | | | | | ● | | | | | |
| 150 | 42.000 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 150 | 33.089 | +1.00 | +4.20 | 1000 | | 3000 | | | | | | | | | ● | | | | | |
| 160 | 50.000 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 180 | 62.800 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |
| 200 | 78.000 | +0.0% | +6.0% | 1000 | | 2000 | ● | | | | | | | | | | | | | |



S: Stocked Item L: Subject to a leadtime or MOQ