Material safety data sheet (MSDS)

CD38 - SDS iss 01 Rev No: 2



PEEK-GF30

PEEK-GF30	Rev No: 2	
Polyetheretherketone (PEEK + glass-fibre)	Rev Date: 01/11/25	
Identification of the substance / preparation	n and company	
Commercial Product Name:	PEEK-GF30	
Use:	Polymer (thermoplastic)	
Company (supplier of the safety data sheet):	Plastim Limited	
	Unit 100 - Ashville Business Park	
	Commerce Road, Staverton, Gloucestershire, GL2 9QJ	
Emergency telephone number:	Tel. +44 (0)1452 857733	
	admin@plastim.co.uk	
Company Registration Number:	3376659	
Hazard identification		
Classification:	Not classified (no need for classification)	
Label elements:	The product does not require a hazard warning label	
Physical / chemical hazards:	Flammable	
Environmental hazards	Not classified as dangerous.	
Composition / information on ingredients		
Chemical characterisation:	Poly-ether-ether-ketone (PEEK + glass-fibre)	
Description:	Semi-finished shapes such plates, rods and tubes.	
Hazardous substances:	Product contains no hazardous ingredients liable to be disclosed.	
First aid measures		
General information:	The product is being classified as non-noxious.	
n case of inhalation:	In case the plastic burns and combustion gases are inhaled, remove person to fresh air and keep warm and get medical help if necessary.	
In case of skin contact:	Burns caused by molten material on skin need to be rapidly cooled down with water. D not attempt removal of plastic without medical assistance. If irritation develops, seek medical attention.	
n case of eye contact:	Flush eyes well with copious quantities of water. Seek medical attention if irritation persists.	
In case of ingestion:	If swallowed, the product is non-noxious. Seek medical attention if irritation develops.	
Fire-fighting measures		
Suitable extinguishing media:	Water, foam, gaseous and dry extinguishing media	
Particular endangerments by fire fighting and hazardous combustion products:	Hazardous combustion products may emerge, apart from harmless water (H2O); carbo dioxide (CO2) and mainly carbon monoxide (CO) depending on the amount of available environmental oxygen, containing ketones and aldehyde. Formation of furthe decomposition and oxidation products depends upon the fire conditions. Under special fire conditions traces of other toxic substances are possible.	
Fire fighting:	For fires in enclosed areas, firefighters must use self-contained breathing apparatus and protective clothing should be used.	
Accidental release measures		
Environmental precautions:	Dispose in accordance with regional regulations. Do not dispose into the drains as sma particles may present a physical ingestion hazard to wildlife.	
Methods for containment and cleaning up	Sweep and collect dust using a suitable vacuum system. Place in suitable containers fo recycling or disposal.	
Handling and storage		
Advice on safe handling:	For heavier pieces handle with lifting equipment or sufficient manpower. When machining shapes, evacuate swarf to prevent slipping or tripping.	
Storage:	Store product dry. Keep storage and working areas sufficiently ventilated. Keep away from any source of flame, heat and ignition. Due to the risk of collapsing, do not stack more than 2 pallets on top of each other. Pallets should not stack on top of each other along aisles.	

Material safety data sheet (MSDS)

P2 CD38 - SDS iss 01 Rev No: 2 Rev Date: 01/11/25



PEEK-GF30

PEEK-GF30		Rev Date: 01/11/25	
Exposure controls / personal protection			
Ingredients with occupational exposure limits to be monitored:	Contains no substances with occupational exposure limit values.		
Exposure controls Personal (body) protection:	Keep the workplace sufficiently ventilated. Continuous supply of fresh air to the workplace together with removal of processing fumes through exhaust systems is recommended. Avoid breathing in gaseous degradation products and dust that may result by material overheating.		
Hand protection:	Wear suitable gloves to protect from heat, abrasion and cutting.		
Eye protection:	Wear safety goggles or shield during machining.		
Body protection:	Wear working clothes.		
Respiratory protection:	Adequate ventilation at workplace is required.		
Measures:	Do not eat, drink or smoke while handling the product.		
Physical and chemical properties			
Physical state:	Solid - (rods / plates / tubes)		
Colour:	Black		
Odour:	Slight, product-specific		
Melting point (formulation dependant):	341 °C		
Self-ignition temperature:	480 °C		
Explosion hazard or limit:	Non explosive		
Density (20 °C):	1,51 g/cm³		
Solubility (in water 20 °C):	Insoluble		
Stability and reactivity			
Conditions to avoid:	Temperatures approaching melting point 300 °C)		
Material to avoid:	Strong oxidants		
Hazardous decomposition products:	Carbon monoxide (CO)	CAS-No. 630-08-0	
	Sulfur dioxide (NOx)	CAS-Nr. 7446-09-5	
	Formaldehyde (H2CO)	CAS-Nr. 50-00-0	
	Succinic acid (C4H6O4)	CAS-Nr. 110-15-6	
	Chlorinated aromatics		
	Acetic acid (C2H4O2)	CAS-Nr. 64-19-7	
	Mercaptan		
	Sulfur (S)	CAS-Nr. 7704-34-9	
	Palmitic acid (C15H31COOH)	CAS-Nr. 57-10-3	
	Stearic acid (C17H35COOH)	CAS-Nr. 57-11-4	
Toxicological information			
Persistence and degradability:	The material does not harm the	environmental but not classified as biodegradable.	
Legal specifications:	The product does not require a hazard warning label.		
Disposal considerations			
Product waste treatment methods:	Dispose in accordance with local and national regulations. The material can be recycled by extrusion process into pellets for further processing.		
Transport information			
Specific hazards:	Not classified as hazardous under transport regulations.		
Packaging information	Wooden pallets, bags within car	dboard boxes or plastic boxes.	
Other information			

Other information

Plastim Limited do not manufacture the product described in this safety data sheet. Information is extracted from the manufacturer's provided data. The actual manufacturer's original safety data sheet is available upon request.

The information set forth herein has been gathered from standard reference materials and based on our current knowledge and experience. Such information is offered solely for your consideration, investigation and verification, it is not suggested or guaranteed that the hazard precautions or procedures mentioned are the only ones that exist. We make no warranties (expressed or implied) with respect to the use of such information or the use of the specific material identified herein in combination with any other material or process, and assumes no responsibility therefor.